

Press release, 9th of January 2018

## **Evolution of Alpine landscape recorded by sedimentary rocks**

**Rock avalanches and torrents started to form V-shaped valleys in the Alps approximately 25 million years ago. This landscape contrasts to the flat and hilly scenery, which characterized the Alps a few millions of years before. Geologists from the University of Bern applied digital technologies to unravel these changes in landscape evolution. They analysed 30 to 25 million-year old lithified rivers in Central Switzerland and came out with a detailed picture of how the Alps evolved within a short time interval.**

The current shape of the Alps with steep V-shaped valleys and torrents have evolved during approximately five millions of years. This time span might be perceived as very long, but it is a few seconds for geologists. This was the major outcome of a study by Philippos Garefalakis and Fritz Schlunegger from the University of Bern, Switzerland, who analysed thousands of pebbles at Mount Rigi situated in Central Switzerland. This mountain, which has been considered by Goethe as the Queen of the Mountains, because of its spectacular view, consists of lithified rivers with pebbles. These rocks have been transported by the Alpine rivers in the geologic past, and they document the rise of the Alps and the related change of the landscape. The scientists found out that the Central Swiss Alps evolved from British-type of hillslopes and flats to a rugged region with torrents and deep gorges. The results of their study have recently been published by the Nature-Group in «Scientific Reports».

### **From a meadow countryside to the Alpine landscape**

30 million years ago, the headwaters of the Alpine rivers were situated on a plateau with flat hillslopes, similar to what we currently find in Great Britain. «The leisurely streams deposited tons of pebbles, which resulted in a stack of thousands of lithified rivers, referred to as conglomerates», explains Philippos Garefalakis, the senior author of the published article. «Accordingly, each bed represents the deposits of a river back in geologic times». Philippos and his team analysed bed by bed and thousands of pebbles from the base to the top of Mount Rigi. The changes surprised the scientist. «The 30 million-year old deposits at the base of Mount Rigi contain pebbles that have the size of an apple, and the streams were 2-4 meters deep. On top of the mountain range, the 25 million-year old sediments expose boulders as large as a football, and torrents were less than 1 meter deep». The Alpine streams must have gained in power, and they adapted a chaotic flow pattern.

**Dramatic evolution**

«The change in the Alpine landscape must have been dramatic and fast», explains Philippos and looks toward the Alps, which are clearly visible from Bern on a sunny day like this. «Boulders as large as a football can only be entrained by strong torrents during floods.» These processes are typical in a steep landscape where rock avalanches and landslides supply large volumes of boulders and material. The Alps thus had their current shape as early as 25 million years ago. The situation, however, was different 30 million years ago. Streams were smooth and had their headwaters in a meadow countryside, which characterized the Alps at that time. «These changes occurred as the Alps started to rise and to steepen, which occurred – for geological standards – within a short time interval.»

**Application of digital technologies**

Engineers have disclosed quantitative relationships between the size of gravels in rivers and stream power. «We can apply the identical concepts to stream deposits of the geologic past, but we need to measure the size of thousands of pebbles», says Philippos. This was only possible thanks to computer technologies, which allows to measure a large number of pebbles on digital photographs. This new technology has been applied for the first time to rocks and will yield new insights about our streams on Earth in the geological past.


**Publication:**

Garefalakis, P., Schlunegger, F. (2017) Link between concentrations of sediment flux and deep crustal processes beneath the European Alps, *Scientific Reports*,  
doi:[10.1038/s41598-017-17182-8](https://doi.org/10.1038/s41598-017-17182-8)

**Contact:**

Philippos Garefalakis  
Institut für Geologie, Universität Bern  
Tel.: +41 76 335 04 89 / [philippos.garefalakis@students.unibe.ch](mailto:philippos.garefalakis@students.unibe.ch)

## Pictures



Headwaters of Alpine streams approximately 30 million years ago (left) with an Alpine plateau and a meadow countryside. The handcraft on the right side illustrates the landscape of the Alps at 25 million years before present with steep valleys where torrents originated. © Philippos Garefalakis, University of Bern.



Mount Rigi, picture taken from the front. The number of lithified river deposits increase towards the top of the mountain range. The pebble sizes increase from the base to the top of Mount Rigi. The river, which deposited these rocks, adapted a chaotic flow pattern through time. © Philippos Garefalakis, University of Bern.



The investigated rocks beneath the summit of Mount Rigi. Pebbles as large as footballs imply that the Alpine rivers had the character of a torrent. The rocks at Mount Rigi thus document the occurrence of a large delta that formed at the border of the Alps 25 million years ago. © Philippos Garefalakis, University of Bern.